



GLRA-81

Body-Solid®



Assembly & Instructions
OWNER'S MANUAL

Assembly Diagram




Hardware List

PART#	QTY	DESCRIPTION
A1	2	M12X75 HEX HEAD BOLT
A2	1	M12X70 HEX HEAD BOLT
A3	2	M10X75 HEX HEAD BOLT
A4	1	M10X50 HEX HEAD BOLT
B1	3	M12 NYLON LOCK NUT
B2	3	M10 NYLON LOCK NUT
B3	2	M8 NYLON LOCK NUT
C1	2	M12 WASHER
D1	1	M8X75 SHAFT BOLT (8260-003)
D2	4	Φ1" ROUND END CAP (9260-021)
D3	2	60x45 NYLON BUSHING (9211-032)
D4	2	Φ1" ROUND END CAP (9211-016)
D5	1	Φ4 1/4"X21t PULLEY (9213-002C)
D7	1	Φ1" RUBBER CANE TIP (9212-019)
D8	4	Φ8 SPRING SNAP LINK (8810-001)
D9	1	3280mm STEEL CABLE
D10	1	1550mm STEEL CABLE
D11	2	Φ4 1/4"X45t PULLEY (9213-002D)

Part numbers are required when ordering parts.

GLRA-81 Hardware


A




C



B



D





E




F

8313-043



GLRA-81 Hardware






D1



D2



D3



D4



D5




D7




D8



D9,D10



D11



Body-Solid

1900 S. Des Plaines Ave.
Forest Park, IL 60130
1 (800) 556-3113
Hours: M-F 8:30 - 5:00 CST

www.bodysolid.com

© Copyright 2003, Body-Solid. All rights reserved. Body-Solid reserves the right to change design and specifications when we feel it will improve the product.
Body-Solid machines maintain several patented and patent pending features and designs. All rights reserved on all design patents and utility patents.